



agspray.com



12 VOLT & TURF SPRAYERS

THE LEADER IN LIQUID APPLICATION EQUIPMENT PARTS AND ACCESSORIES



SPOT SPRAYERS

BRONZE SPOT SPRAYERS

- 15 Or 25 Gallon Corrosion Resistant Polyethylene Tank
- In Tank Filter System
- 12 Volt Pump; 1.0 G.P.M; 35 P.S.I. (Part # 5275086)
- R1LAM Handgun - Spray Up To 15' (Part # 5163100)
- 15' of 3/8" Rubber Hose
- 8' Wire Harness With Battery Clips (Part # 5278017)
- Tank Drain

<u>Model #</u>	<u>Code #</u>	<u>Description</u>
BRONZE15	5302844	15 Gallon Bronze Sprayer
BRONZE25	5302845	25 Gallon Bronze Sprayer



BRONZE15

SILVER SPOT SPRAYERS

- 15 Or 25 Gallon Corrosion Resistant Polyethylene Tank
- In Tank Filter System
- 12 Volt SHURflo Pump; 2.2 G.P.M; 100 P.S.I. (Part # 5151074)
- R1LAM Handgun - Spray Up To 15' (Part # 5163100)
- 15' of 3/8" Rubber Hose
- 10' Heavy Duty Wire Harness With Battery Clips (Part # 5277040)
- Tank Drain

<u>Model #</u>	<u>Code #</u>	<u>Description</u>
SILVER15	5302846	15 Gallon Silver Sprayer
SILVER25	5302847	25 Gallon Silver Sprayer



SILVER25

GOLD SPOT SPRAYERS

- 15 Or 25 Gallon Corrosion Resistant Polyethylene Tank
- In Tank Filter System
- 12 Volt SHURflo Pump With Toggle Switch; 2.2 G.P.M; 100 P.S.I. (Part #5151074)
- Handgun With Adjustable Pattern Tip (Part # 5273959)
 - Max Horizontal - 30 Feet
 - Maximum Vertical - 18 Feet
- 15' of 3/8" Rubber Hose
- 10' Heavy Duty Wire Harness With Battery Clips (Part # 5277040)
- Tank Drain

<u>Model #</u>	<u>Code #</u>	<u>Description</u>
GOLD15	5302848	15 Gallon Gold Sprayer
GOLD25	5302849	25 Gallon Gold Sprayer



GOLD15

PLATINUM SPOT SPRAYERS

- 15, 25 Or 55 Gallon Corrosion Resistant Polyethylene Tank
- Inline Deluxe Strainer For Easy Access & Cleaning
- By-pass Agitation Valve
- 12 Volt SHURflo Pump W/Toggle Switch; 2.2 G.P.M; 100 P.S.I. (5151074)
- New Manifold For Easy Conversion to Boom
- 13" Pro Series Handgun (5163137)
- 15' of 3/8" Rubber Hose
- Pressure Gauge
- 10' Heavy Duty Wire Harness With Battery Clips (5277040)
- Tank Drain

<u>Model #</u>	<u>Code #</u>	<u>Description</u>
PLATINUM15	5302850	15 Gallon Platinum Sprayer
PLATINUM25	5302851	25 Gallon Platinum Sprayer
PLATINUM55	5302852	55 Gallon Platinum Sprayer



PLATINUM15

DIAMOND SPOT SPRAYERS

- 25 Or 55 Gallon Corrosion Resistant Polyethylene Tank
- Inline Deluxe Strainer For Easy Access & Cleaning
- By-pass Agitation Valve
- 12 Volt SHURflo Pump With 4.0 G.P.M; 45 P.S.I. (5151066)
- New Manifold For Easy Conversion to Boom
- 13" Pro Series Handgun (5163137)
- 15' of 3/8" Rubber Hose
- Pressure Gauge
- 10' Heavy Duty Wire Harness With Battery Clips (Part # 5277040)
- Tank Drain

<u>Model #</u>	<u>Code #</u>	<u>Description</u>
DIAMOND25	5302082	25 Gallon Diamond Sprayer
DIAMOND55	5302069	55 Gallon Diamond Sprayer



DIAMOND25

ACCURATELY MEASURE & POUR CHEMICALS

MULTI-LID

- Food grade, 32 ounce measuring cup is attached to tank lid
- Garden hose port secures hose for safe and easy filling with one person
- Fits sprayers with a 5" tank lid
- Made in the USA



<u>Model #</u>	<u>Code #</u>	<u>Description</u>
MULTI-LID	7772085	Multi-Lid Chemical Measuring Lid

SPOT SPRAYER REPLACEMENT TANKS



<u>Tank Capacity</u>	<u>Part #</u>	<u>Description</u>
15 Gallon	TA15Y	15 Gallon Yellow Replacement Tank for Ag Spray Equipment Spot/ATV/Trailer Sprayers. Lid and Fittings Not Included.
25 Gallon	TA25Y	25 Gallon Yellow Replacement Tank for Ag Spray Equipment Spot/ATV/Trailer Sprayers. Lid and Fittings Not Included.
40 Gallon	5169246	40 Gallon Yellow Replacement Tank for Ag Spray Equipment Spot/ATV/Trailer Sprayers. Lid and Fittings Not Included.
60 Gallon	5169250	60 Gallon Yellow Replacement Tank for Ag Spray Equipment Spot/ATV/Trailer Sprayers. Lid and Fittings Not Included.

SPOT SPRAYERS

15 & 25 GALLON BRUSH SPRAYERS



FSP25-BRUSH

- High-Flo Pro Series 12 Volt Pump (2.2 GPM - 100 PSI Max)
- Heavy Duty Power Cord
- Deluxe Hand Gun
- Heavy Duty Hose
- **Made for Diesel & Chemical Blends**

<u>Model #</u>	<u>Code #</u>	<u>Tank Size</u>
FSP15-BRUSH	5276639	15 Gallon
FSP25-BRUSH	5276640	25 Gallon

40 GALLON SPOT SPRAYER



- 40 Gallon Polyethylene Tank
- 12 Volt Diaphragm Pump
- 2.2 GPM; 100 PSI Max.
- Fully Drainable Sump
- 8' Wire Harness With Clips & On/Off Switch
- Deluxe Handgun With Adjustable Pattern Tip & 25' Of Hose
- Steel Base
- Ready For Roundup®

<u>Model #</u>	<u>Code #</u>	<u>Tank Size</u>
FSP-40-BLU	5301500	40 Gallon

DELUXE WITH RACK SPOT SPRAYERS

- 55 Gallon Corrosion Resistant Polyethylene Tank
- In-Line Deluxe Strainer
- By-pass Agitation Valve
- 12 Volt SHURflo Pump With Toggle Switch; 1.8 G.P.M; 60 P.S.I. (Part # 8000-543-936)
- Spraying Systems 43L-AL Handgun
- 15' of 3/8" Rubber Hose
- Chrome Plated Ball Valves
- 10' Heavy Duty Wire Harness With Battery Clips
- Tank Drain
- With Rack

<u>Model #</u>	<u>Code #</u>	<u>Tank Size</u>
AG55DLXH	5302074	55 Gallon Deluxe With Rack



45 & 65 GALLON UTV SPRAYERS



FSUTV65-12V Shown With 7-Nozzle Boom



FSUTV65-12V Shown With Boomless Nozzle Boom & Optional Hose Reel Attachment



• Innovative Tank Design

- Heavy Duty Roto Molded 45 Or 65 Gallon Poly Tank
- Low Profile For Improved Stability / Center Of Gravity
- Molded Handles For Easy Installation In UTV's
- Conveniently Positioned Pump / Manifold Near UTV Cab To Easily Set Sprayer P.S.I.
- 12 Volt ShurFlo Pump, 4.0 G.P.M.: 45 P.S.I. Max
- Hose Wrap Holder With 25 Feet Of 3/8" Hose
- New Multi-Lid Included (See Page 45)

• Spray Boom

- Quick Release Spray Boom For Fast Assembly / Disassembly
- Can Be Used With UTV Tailgate Closed Or Open

• Roundup® Ready



OPTIONAL HOSE REEL ATTACHMENT W/50' OF 3/8" HOSE



Pump & Manifold Assembly

Product Description	Tank Dimensions	Dry Sprayer Weight Without Spray Boom	Dry Sprayer Weight With Spray Boom	Total Sprayer Weight When Filled with Water
45 7-Nozzle	36" x 30"	46 lbs	81 lbs	465 lbs
45 Boomless	36" x 30"	46 lbs	66 lbs	450 lbs
65 7-Nozzle	47" x 34.5"	58 lbs	87 lbs	640 lbs
65 Boomless	47" x 34.5"	58 lbs	72 lbs	625 lbs

Model #	Code #	Description
FSUTV45-12V §	5302903	45 gallon UTV sprayer
FSUTV65-12V §	5302904	65 gallon UTV sprayer
FSUTV-HR-50	5302919	Hand crank hose reel - 3/8" x 50 feet of hose

§ BOOMS MUST BE ORDERED SEPARATELY. SEE PAGE 7

ATV & UTILITY SPRAYERS



FS-ATV-25 Shown With FSBK-70 Boom (7-Nozzle). **Boom Not Included.**

ATV SPRAYERS

- 15 or 25 Gallon Corrosion Resistant Polyethylene Tank
- Handgun Kit - R1ALM
- 2.2 GPM Shurflo Pump; 100 PSI
- Bypass Kit With Pressure Gauge
- 8' Electric Cord With Battery Clip
- Adjustable Quick-Tach Boom Bracket

Model #	Code #	Tank Size
FS-ATV-15 *	5301169	15 Gallon Sprayer (Less Boom)
FS-ATV-25 *	5301170	25 Gallon Sprayer (Less Boom)

*** BOOMS MUST BE ORDERED SEPARATELY, SEE PAGE 7**

25 GALLON BOOMLESS ATV SPRAYER



- 25 Gallon Poly Tank
- 12 Volt Pump; 4.0 G.P.M.; 45 PSI
- 3 Individual Nozzle Shutoffs
- 3 Polypropylene Nozzles with 30 Feet Spray Swath

- Bypass Kit With Gauge
- Adjustable Nozzle Angle
- Positive Shutoff Handgun With 15' Of 3/8" Hose

Model #	Code #	Tank Size	Coverage
FS-ATV-25BL-4.0	5301406	25 Gallon	30 Feet


LAWN & GARDEN SPRAYER BOOMS




FSBK-2
2 Nozzle Boom
80" Spray Coverage



FSBK-5
5 Nozzle Folding Boom
100" Spray Coverage



FSBK-70
7 Nozzle Folding Boom
140" Spray Coverage



FSBK-3025BL
3 Nozzle Boomless
30' Spray Coverage



BXT3438/BXT3858
4 Nozzle Boomless
34'/38' Spray Coverage

Part #	Code #	Description	Coverage	Tip Spacing
FSBK-2	5300975	2 Nozzle Boom Kit	80"	40"
FSBK-5	5300976	5 Nozzle Boom Kit	100"	20"
FSBK-70	5301100	7 Nozzle Boom Kit	140"	20"
FSBK-1**	5301139	Boomless Boom Assembly With 1 TeeJet KLC Tip		
FSBK-3025BL	5301289	3 Nozzle, Boomless Boom (Requires 3.8 GPM Pump)	30'	
BXT3438	5282450	Boomless 34' Coverage, 3.8 GPM At 40 PSI (3 Section) NEW		
BXT3858	5282451	Boomless 38' Coverage, 5.8 GPM At 40 PSI (3 Section) NEW		

** Only works on 25 & 40 gallon units

MULTI-LID

SPECIFICALLY DESIGNED TO FIT MOST AG SPRAY LAWN & GARDEN SPRAYERS



- Accurately Pour & Measure Chemicals
- Food grade, 32 ounce measuring cup is attached to tank lid (no longer have to search for a container)
- Garden hose port secures hose for safe and easy filling with one person
- Fits sprayers with a 5" tank lid
- Made in the USA



Part #	MFG #	Description
7772085	MULTI-LID	Multi-Lid Chemical Measuring Lid

TRAILER SPRAYERS

15 & 25 GALLON 12 VOLT TRAILER SPRAYERS



- 15 or 25 Gallon Corrosion Resistant Polyethylene Tank
- 12 Volt Shurflo diaphragm pump (5151074); 2.2 GPM; 100 PSI
- Trailer with large pneumatic tires
- Handgun kit with 15' hose and R1ALM handgun with adjustable nozzle
- Gauge and recirculation kit
- 8' electrical cord with battery clip
- Boom Mounting Bracket

Model #	Code #	Tank Size
FSTS-15-BLU*	5302838	15 Gallon Trailer Sprayer, 2.2 GPM (Less Boom)
FSTS-25-BLU*	5302841	25 Gallon Trailer Sprayer, 2.2 GPM (Less Boom)

*** BOOM MUST BE ORDERED SEPARATELY. SEE PAGE 7**

40 GALLON 12 VOLT TRAILER SPRAYER



- 40 Gallon Corrosion Resistant Polyethylene Tank
- Suction Line Sump
- 5" Fill Lid
- 12 Volt (Demand) Shurflo Diaphragm Pump
- 4.0 G.P.M.; 45 P.S.I. Maximum
- 16/650 x 8 Tires
- Deluxe Pistol Grip Handgun With Adjustable Nozzle & 25 Ft. of Hose
- Ready For Roundup®

Model #	Code #	Tank Size
FSTS-40-12V-BLU*	5301498	40 Gallon 12 Volt Trailer Sprayer

*** BOOM MUST BE ORDERED SEPARATELY. SEE PAGE 7**

40 GALLON 2.5 HP GAS TRAILER SPRAYER



- 40 Gallon Corrosion Resistant Polyethylene Tank
- Suction Line Sump
- 5" Fill Lid
- 4 Roller Pump, 6 G.P.M.
- 5.5 ft-lbs Gross Torque Engine
- 16/650 x 8 Tires
- Deluxe Pistol Grip Handgun With Adjustable Nozzle & 25 Ft. of Hose
- 0-120 P.S.I., Adjustable Pressure

Model #	Code #	Tank Size
FSTS-40-2.5-4-BLU*	5301499	40 Gallon 2.5 HP Gas Engine Trailer Sprayer

*** BOOM MUST BE ORDERED SEPARATELY. SEE PAGE 7**

60 GALLON 12 VOLT TRAILER SPRAYER



- 60 Gallon Corrosion Resistant Polyethylene Tank
- Lower Tank Profile For Improved Stability
- Full Drain Out Capability With Molded-In Drain Port, Cap & Tether
- Full Length Drain Sump
- 12 Volt (Demand) Shurflo Diaphragm Pump
- 4.0 G.P.M.; 45 P.S.I. Maximum
- 18 x 9.50 x 8 Pneumatic Tires
- Includes Boom Mounting Brackets

Model #	Code #	Tank Size
FSTS-60-12V-BLU*	5301448	60 Gallon 12 Volt Trailer Sprayer

*** BOOM MUST BE ORDERED SEPARATELY. SEE PAGE 7**

60 GALLON GAS POWERED 4-ROLLER TRAILER SPRAYER



- Briggs & Stratton Engine
- Hypro 4 Roller Pump
- 18 x 9.5 x 8 - 4 Bolt Wheel and Tires
- Pistol Grip Handgun With 18" Lance, 25' of 3/8" Hose
- Includes Boom Mount Brackets

Model #	Code #	Tank Size
FSTS-60-5.5-4-BLU*	5301452	60 Gallon Gas Powered 4 Roller Trailer Sprayer

*** BOOM MUST BE ORDERED SEPARATELY. SEE PAGE 7**

60 GALLON GAS POWERED 8-ROLLER TRAILER SPRAYER



- Honda or Briggs & Stratton Engine
- 5.5 ft-lbs gross torque
- Hypro 8 Roller Pump
- 18 x 9.5 x 8 - 4 Bolt Wheel and Tires
- Pistol Grip Handgun With 18" Lance, 25' of 3/8" Hose
- Includes Boom Mount Brackets

Model #	Code #	Tank Size
FSTS-60-5.5H-BLU*	5301453	60 gallon w/ 5.5 Honda engine w/ Hypro 7560XL-R 8 Roller Pump
FSTS-60-5.5BR-8-BLU*	5301450	60 gallon w/ 5.5 Briggs & Stratton 127cc engine w/ Hypro 7560C-R 8 Roller Pump

*** BOOM MUST BE ORDERED SEPARATELY. SEE PAGE 7**

SKID SPRAYERS

100/150/200 GALLON PCO SKID SPRAYERS



100 GALLON PCO

Unit Shown: Includes LS-PCO-100, Roller Pump Kit, 100 Ft Hose Reel Kit & Stand, 1/2" 600# Hose



200 GALLON PCO

Unit Shown: Includes LS-PCO-200, Diaphragm Pump Kit, 300 Ft Hose Reel W/ Spool Kit & Stand, 1/2" 600# Hose

200/300/500 GALLON ELLIPTICAL SKID SPRAYERS



105 GALLON PROSS105 SKID SPRAYER



SPRAYER ACCESSORIES

12V ON/OFF WIRELESS REMOTE CONTROL



12V ON/OFF WIRELESS REMOTE CONTROL

Controls **ALL** 12 Volt Products
Up To 20 Amps!

- Wireless Remote
- Convenient Keychain Clip
- Quick Connect Into FIMCO Products Or Wire Into All 12 Volt Products Up To 20 Amps



Part #	MFG #	Description	List Price
7772011	12V WIRELESS REMOTE	12 Volt On/Off Wireless Remote Control	\$ 51.00

REPLACEMENT HANDGUNS



Model #	Code #	Description	List Price
R1ALM	5163100	Handgun w/Adjustable Tip	\$ 17.30
5273959	5273959	Deluxe Handgun w/X-26 Tip	\$ 48.46
5163137	5163137	13" Pro Handgun	\$ 105.71
5163136	5163136	22" Pro Handgun	\$ 110.07
AA43L-AL6	5163062	43LA Handgun w/D6 Disc	\$ 211.59

DRAIN CAP & TANK LID



Model #	Code #	Description	List Price
19012	5274373	Tank Drain Cap w/ Tether 3/4"FGHT	\$ 4.54
5058188	5058188	5" Threaded Tank Lid w/ Lanyard	\$ 4.42

REPLACEMENT PRESSURE GAUGES



Model #	Code #	Description	List Price
3-G	5167017	2 1/2" 0-60PSI Dry Gauge	\$ 12.42
5-G	5167007	2" 0-100PSI Dry Gauge	\$ 9.21
L07	5167031	2 1/2" 0-100PSI Liquid Filled	\$ 26.14

ATV/UTV SPRAYER PLUMBING MANIFOLDS



Model #	Code #	Description	List Price
5275516	5275516	QC Manifold 3/8" Handgun, 1/2" Boom, 3/4 MGHT Bypass	\$ 55.27
5281547	5281547	QC Manifold 3/8" Handgun, 1/2" Boom, 3/8" Bypass	\$ 47.33
5005456	5005456	Port To O-ring	\$ 5.42
5005457	5005457	Port To Clip	\$ 1.95

WIRING HARNESSES



Model #	Code #	Description	List Price
5273295	5273295	8" Lead Wire Assembly	\$ 13.56
5273212	5273212	5' Extension Wire Assembly	\$ 9.00
5277040	5277040	10' 14 Gauge Wire Harness w/Switch	\$ 30.05
5278114	5278114	8' 16 Gauge Wire Harness w/Switch	\$ 16.81
5275053	5275053	8' Wire Harness W/Cigarette Lighter Plug	\$ 19.42

Visit the Ag Spray Website for a complete listing of Owners/Operators Manuals with Sprayer Breakdowns and Complete Replacement Parts Listings.

WWW.AGSPRAY.COM/MANUALS

TURF TRAILER SPRAYER

110, 150 & 200 GALLON TURF TRAILER SPRAYER



Base Trailer:

- Straight welded axle with 1 3/4" spindles and 1,250 lb. 5 bolt hubs
- 23 x 10.5 x 12 turf tires
- #2000 jack
- Adjustable pin hitch for 3/4" diameter pin
- Safety chains

Pump & Engine Options:

- Centrifugal, Diaphragm and Roller pumps available
- Honda and Briggs & Stratton engines available

Trailer Options:

- Tank saddle for 110, 150, or 200 gallon
- Hose reel with side mount or vertical swivel mount
- Hand gun holder with hose wrap
- Fenders – light duty
- Light kit with mounting brackets
- 20.5 x 8 x 10" 6 ply Pro Tour tire. 50 MPH max.
- Adjustable ball hitch coupler for a 1 7/8" or 2" ball

Boom Options:

- Boomless BXT and Hamilton Nozzles
- Standard 3 sections spray booms 28' and under

**** CUSTOMIZE YOUR NEW TURF TRAILER FOR YOUR SPECIFIC APPLICATION NEEDS ****